

CAPTIVATING DESKTOP PROJECTOR

**VPL-DW127, VPL-DX147, VPL-DW122
VPL-DX142, VPL-DX122, VPL-DX102**



Key Selling Point

- Compact and Lightweight
- Auto Power Saving Mode
- Long-lasting Lamp
- Wireless Connection *
- Ideal for Small Venues

*For selected models

Model	Resolution	Brightness	Network
VPL-DW127	WXGA	2,600 Lumens	Wireless
VPL-DX147	XGA	3,200 Lumens	Wireless
VPL-DW122	WXGA	2,600 Lumens	-
VPL-DX142	XGA	3,200 Lumens	-
VPL-DX122	XGA	2,600 Lumens	-
VPL-DX102	XGA	2,300 Lumens	-

FUNCTIONAL COMPACT PROJECTOR

VPL-EW295, VPL-EW255, VPL-EW235

VPL-EX295, VPL-EX255, VPL-EX290, VPL-EX250



Key Selling Point

- Auto Power Saving Mode
- Long-lasting Lamp
- Wireless Connection *
- Ideal for Small Venues

*Optional accessory IFU-WLM3 required

Model	Resolution	Brightness	Zoom	Speaker
VPL-EW295	WXGA	3,800 lumens	1.6x Zoom	16W speaker
VPL-EW255	WXGA	3,200 lumens	1.6x Zoom	16W speaker
VPL-EW235	WXGA	2,700 lumens	1.3x Zoom	16W speaker
VPL-EX295	XGA	3,800 lumens	1.6x Zoom	16W speaker
VPL-EX255	XGA	3,300 lumens	1.6x Zoom	16W speaker
VPL-EX290	XGA	3,800 lumens	1.6x Zoom	-
VPL-EX250	XGA	3,300 lumens	1.3x Zoom	-

SHORT THROW PROJECTOR

VPL-SW235, VPL-SW225, VPL-SX236, VPL-SX226



Key Selling Point

- Short Projection Distance
- Constant Brightness for approx 2,000 Hours
- Long-lasting Lamp Time of 10,000 Hours
- Wireless Connection *

*Optional accessory IFU-WLM3 required

Model	Resolution	Brightness	Throw Distance
VPL-SW235	WXGA	3,000 lumens	0.79m for 80" screen
VPL-SW225	WXGA	2,600 lumens	0.79m for 80" screen
VPL-SX236	XGA	3,300 lumens	0.75m for 80" screen
VPL-SX226	XGA	2,800 lumens	0.75m for 80" screen

ULTRA SHORT THROW PROJECTOR

VPL-SW630C, VPL-SW630, VPL-SW620, VPL-SX630



Key Selling Point

- Ultra Short Projection Distance
- Reduced Glare and Shadow
- Wireless Connection *
- Long-lasting Lamp
- Optical Lens Zoom

*Optional accessory IFU-WLM3 required

Model	Resolution	Brightness	Throw Ratio
VPL-SW630C	WXGA	3,100 lumens	0.27:1
VPL-SW630	WXGA	3,100 lumens	0.27:1
VPL-SW620	WXGA	2,600 lumens	0.27:1
VPL-SX630	XGA	3,200 lumens	0.27:1

BASIC INSTALLATION PROJECTOR

VPL-CH375, VPL-CH370, VPL-CH355, VPL-CH350
VPL-CW276, VPL-CX276, VPL-CW256, VPL-CX236



Key Selling Point

- Good TCO (Energy –efficient Design)
- Installation Flexibility (Lens Shift, Keystone Correction, Picture Warping)
- Large Diameter with Advanced Focus Lens
- Digital Interface HDBase™ for Cost-effective Connectivity

*VPL-CH375 and VPL-CH355 only, Allows multiple type of signal (Video, Audio, Control, Ethernet) on a single LAN Cables.

Model	Resolution	Brightness	Contrast Ratio
VPL-CH375	WUXGA	5,000 lumens	2000:1
VPL-CH370	WUXGA	5,000 lumens	2000:1
VPL-CH355	WUXGA	4,000 lumens	2500:1
VPL-CH350	WUXGA	4,000 lumens	2500:1
VPL-CW276	WXGA	5,100 lumens	3000:1
VPL-CX276	XGA	5,200 lumens	3000:1
VPL-CW256	WXGA	4,500 lumens	3700:1
VPL-CX236	XGA	4,100 lumens	3100:1

MID-SIZE TO LARGE VENUE INSTALLATION PROJECTOR

**VPL-FHZ55, VPL-FH36, VPL-FH31,
VPL-FX37, VPL-FX35**



Key Selling Point

- Good TCO (Energy –efficient Design)
- Installation Advantages
- Large Diameter with Advanced Crisp Focus Lens
- Optional Lens Available

Model	Resolution	Brightness	Zoom
VPL-FHZ55	WUXGA	4,000 lumens	1.6x Zoom
VPL-FH36	WUXGA	5,200 lumens	1.6x Zoom
VPL-FH31	WUXGA	4,300 lumens	1.6x Zoom
VPL-FX37	XGA	6,000 lumens	1.6x Zoom

LARGE VENUE INSTALLATION PROJECTOR

**VPL-FHZ700L, VPL-FH500L, VPL-FX500L,
SRX-T615, SRX-T423**



Key Selling Point

- Hassle-free Maintenance upto 20,000Hours*
- 7,000 Lumens Color Light Output
- Flexible 360-degrees Installation*
- Good TCO (Energy-efficient Design)
- Comes with Optional HDBaseT Board *

*VPL-FHZ700L Only

Model	Resolution	Brightness	Contrast Ratio
VPL-FHZ700L	WUXGA	7,000 lumens	8000: 1
VPL-FH500L	WUXGA	7,000 lumens	2500: 1
VPL-FX500L	XGA	7,000 lumens	2500: 1
SRX-T615	4096X2160 4K	18,000 lumens	12000: 1
SRX-T423	4096X2160 4K	23,000 lumens	3000: 1
(Upgrade till 30,000 lumens)			

ENTERTAINING HOME PROJECTOR

**VPL-VW1100ES, VPL-VW500ES,
VPL-HW55ES, VPL-HW40ES**



Key Selling Point

- Dynamic Contrast
- SXRD Panel Projection System
- Up to 4096 x 2160 Resolution with 4K Technology
- Compact Design for Home Use

Model	Resolution	Brightness	Contrast Ratio
VPL-VW1100ES	4096 x 2160 4K	2,000 lumens	1,000,000:1
VPL-VW500ES	4096 x 2160 4K	1,700 lumens	200,000:1
VPL-HW55ES	1920 x 1080 Full HD	1,700 lumens	120,000:1
VPL-HW40ES	1920 x 1080 Full HD	1,800 lumens	-